

Post Op Instructions – After Implant

We have just completed the prosthesis for your oral implants. Such implants have been placed successfully for over 30 years. The following information will be interesting and useful for you relative to future expectations for your implants and the prosthesis placed on them.

Acceptance of dental implants by bone and gum tissue has been excellent, however a few implants fail. Additionally, the prosthesis that have been placed over the implants are subject to wear and/or breakage. Any of the following conditions that occur require your immediate attention. Please contact us if any of the following conditions occur:

1. Feeling of looseness
2. Peculiar
3. Clicking or metallic snap while eating
4. Breaking a piece of the prosthesis
5. Redness in the gum tissue around the implant
6. Feeling of the bite being different
7. Pain

We have done our best to provide to you the highest quality service available. The continuing success of the implant and prosthesis is up to you.

1. Visit us for examination, scaling, and polishing at least once every six months.
2. Clean the implant daily, especially before bedtime, using:
 - ___ A. Floss
 - ___ B. Bridge cleaner
 - ___ C. Toothbrush
 - ___ D. Interplak mechanical toothbrush
 - ___ E. Peridex

Your failure to accomplish thorough cleaning of the implant prosthesis daily will compromise its longevity significantly and can lead to implant failure. We expect years of service from this therapy. Over a number of years, you will gradually wear out the prosthesis portion.